

September 5, 2001

Mr. James A. Spicer  
Buckeye Terminals, LLC  
P.O. Box 368  
5002 Buckeye Road  
Emmaus, Pennsylvania 18049

Re: 089-14773-00291  
Second Administrative Amendment to  
Part 70 T089-9287-00291

Dear Mr. Spicer:

TransMontaigne Terminaling, Inc. was issued a permit on February 17, 1999 for a stationary pipeline breakout tank farm. A letter requesting a change in responsible official and name change was received on August 15, 2001. Pursuant to the provisions of 2-7-11 the permit is hereby administratively amended as follows:

A.1 General Information [326 IAC 2-7-4(c)] [326 IAC 2-7-5(15)]

---

The Permittee owns and operates a stationary pipeline breakout tank farm source.

Responsible Official:	<del>Todd Mann</del> James A. Spicer
Source Address:	1802 Robin Hood Blvd., Suite 3A, Schererville, Indiana 46375
Mailing Address:	<del>280 North College, Suite 500, P.O. Box 1503, Fayetteville, Arkansas 72702</del> P.O. Box 368, 5002 Buckeye Road, Emmaus, Pennsylvania 18049
SIC Code:	4613
County Location:	Lake
County Status:	Nonattainment area for ozone, carbon monoxide and sulfur dioxide Attainment area for all other criteria pollutants
Source Status:	Part 70 Permit Program Major Source, under Emission Offset Rules; Minor Source, Section 112 of the Clean Air Act

On July 31, 2001 NORCO Pipe Line Company, LLC and Buckeye Terminals, LLC purchased TransMontaigne Pipeline Inc and TransMontaigne Terminaling, wholly owned subsidiaries of TransMontaigne, Inc. The new operating name is changed from TransMontaigne Terminaling, Inc. to Buckeye Terminals, LLC. The corporate address has been changed from 280 North College Avenue, Suite 500, Fayetteville, Arkansas 72702 to P.O. Box 368, 5002 Buckeye Road, Emmaus, Pennsylvania, 18049.

Buckeye Terminals, LLC has designated Mr. James A. Spicer, Vice President and General Manager, as the Responsible Official and replaces Mr. Todd Mann of TransMontaigne Terminaling, Inc. Mr. Spicer meets the requirements of 326 IAC 2-7-1(34)(A)(iv). Also Jason L. Mengel, Environmental Coordinator has been designated as the corporate environmental contact. Mr. Bill Hawkins is the environmental contact at the Hartsdale Station located at 45 Division Street, Schererville, Indiana 46375.

All other conditions of the permit shall remain unchanged and in effect. Please attach a copy of this amendment and the following revised permit pages to the front of the original permit.

Buckeye Terminals, LLC  
East Chicago, Indiana

Page 2 of 2

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Gary Freeman, at (800) 451-6027, press 0 and ask for Gary Freeman or extension 3-5334, or dial (317) 233-5334.

Sincerely,

Original signed by

Paul Dubenetzky, Chief  
Permits Branch  
Office of Air Quality

Attachments: Replacement Pages

PD/gkf

cc: File - Lake County  
Lake County Health Department  
Air Compliance Section Inspector - Ramesh Tejuja/Rick Massoels  
Compliance Data Section - Karen Nowak  
IDEM Northwest Regional Office  
Permit Review Section 1 - Gary Freeman

# **PART 70 OPERATING PERMIT OFFICE OF AIR QUALITY**

**Buckeye Terminals, LLC - Hartsdale Station  
1802 Robin Hood Blvd., Suite 3A  
Schererville, Indiana 46375**

(herein known as the Permittee) is hereby authorized to operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this permit.

This permit is issued in accordance with 326 IAC 2 and 40 CFR Part 70 Appendix A and contains the conditions and provisions specified in 326 IAC 2-7 and 326 IAC 2-1-3.2 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments), 40 CFR Part 70.6, IC 13-15 and IC 13-17.

Operation Permit No.: T 089-9287-00291	
Issued by: Janet G. McCabe, Assistant Commissioner Office of Air Quality	Issuance Date: February 17, 1999  Expiration Date: February 17, 2004

First Administrative Amendment 089-10573-00291, issued April 20, 1999

Second Administrative Amendment: 089-14773-00291	Pages Affected: 5, 47, 48, 49 and 50
Issued by: Original signed by Paul Dubenetzky, Branch Chief Office of Air Quality	Issuance Date: September 5, 2001

## SECTION A

## SOURCE SUMMARY

This permit is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in conditions A.1 through A.3 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits or seek modification of this permit pursuant to 326 IAC 2, or change other applicable requirements presented in the permit application.

### A.1 General Information [326 IAC 2-7-4(c)] [326 IAC 2-7-5(15)]

---

The Permittee owns and operates a stationary pipeline breakout tank farm source.

Responsible Official: James A. Spicer  
Source Address: 1802 Robin Hood Blvd., Suite 3A, Schererville, Indiana 46375  
Mailing Address: P.O. Box 368, 5002 Buckeye Road, Emmaus, Pennsylvania 18049  
SIC Code: 4613  
County Location: Lake  
County Status: Nonattainment area for ozone, carbon monoxide and sulfur dioxide  
Attainment area for all other criteria pollutants  
Source Status: Part 70 Permit Program  
Major Source, under Emission Offset Rules;  
Minor Source, Section 112 of the Clean Air Act

### A.2 Emission Units and Pollution Control Equipment Summary [326 IAC 2-7-4(c)(3)] [326 IAC 2-7-5(15)]

---

This stationary source consists of the following emission units and pollution control devices:

- (a) One (1) internal floating roof storage tank, known as EU-1610, installed 1957, modified 1996, exhausted through Stack 1610, capacity: 5,040,000 gallons of gasoline and lower vapor pressure petroleum products.
- (b) One (1) fixed roof storage tank, known as EU-1611, installed 1957, exhausted through Stack 1611, capacity: 6,300,000 gallons of distillate and lower vapor pressure petroleum products.
- (c) One (1) external floating roof storage tank, known as EU-1612, installed 1957, equipped with a geodesic dome roof in January 1997, exhausted through Stack 1612, capacity: 5,040,000 gallons of gasoline and lower vapor pressure petroleum products.
- (d) One (1) external floating roof storage tank, known as EU-1613, installed 1957, equipped with a geodesic dome roof in November 1995, exhausted through Stack 1613, capacity: 2,310,000 gallons of gasoline and lower vapor pressure petroleum products.
- (e) One (1) fixed roof storage tank, known as EU-1614, installed 1957, exhausted through Stack 1614, capacity: 2,310,000 gallons of distillate and lower vapor pressure petroleum products.

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF AIR QUALITY  
COMPLIANCE DATA SECTION**

**PART 70 OPERATING PERMIT  
CERTIFICATION**

Source Name: Buckeye Terminals, LLC - Hartsdale Station  
Source Address: 1802 Robin Hood Blvd., Suite 3A, Schererville, Indiana 46375  
Mailing Address: P.O. Box 368, 5002 Buckeye Road, Emmaus, Pennsylvania 18049  
Part 70 Permit No.: T 089-9287-00291

**This certification shall be included when submitting monitoring, testing reports/results  
or other documents as required by this permit.**

Please check what document is being certified:

- 9 Annual Compliance Certification Letter
- 9 Test Result (specify) \_\_\_\_\_
- 9 Report (specify) \_\_\_\_\_
- 9 Notification (specify) \_\_\_\_\_
- 9 Other (specify) \_\_\_\_\_

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Signature:

Printed Name:

Title/Position:

Date:

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT**  
**OFFICE OF AIR QUALITY**  
**COMPLIANCE DATA SECTION**  
**P.O. Box 6015**  
**100 North Senate Avenue**  
**Indianapolis, Indiana 46206-6015**  
**Phone: 317-233-5674**  
**Fax: 317-233-5967**

**PART 70 OPERATING PERMIT**  
**EMERGENCY/DEVIATION OCCURRENCE REPORT**

Source Name: Buckeye Terminals, LLC - Hartsdale Station  
Source Address: 1802 Robin Hood Blvd., Suite 3A, Schererville, Indiana 46375  
Mailing Address: P.O. Box 368, 5002 Buckeye Road, Emmaus Pennsylvania 18049  
Part 70 Permit No.: T 089-9287-00291

**This form consists of 2 pages**

**Page 1 of 2**

Check either No. 1 or No.2	
<b>9</b>	1. This is an emergency as defined in 326 IAC 2-7-1(12) C The Permittee must notify the Office of Air Quality (OAQ), within four (4) business hours (1-800-451-6027 or 317-233-5674, ask for Compliance Section); and C The Permittee must submit notice in writing or by facsimile within two (2) days (Facsimile Number: 317-233-5967), and follow the other requirements of 326 IAC 2-7-16
<b>9</b>	2. This is a deviation, reportable per 326 IAC 2-7-5(3)(c) C The Permittee must submit notice in writing within ten (10) calendar days

If any of the following are not applicable, mark N/A

Facility/Equipment/Operation:
Control Equipment:
Permit Condition or Operation Limitation in Permit:
Description of the Emergency/Deviation:
Describe the cause of the Emergency/Deviation:

If any of the following are not applicable, mark N/A

Page 2 of 2

Date/Time Emergency/Deviation started:
Date/Time Emergency/Deviation was corrected:
Was the facility being properly operated at the time of the emergency/deviation?    Y    N Describe:
Type of Pollutants Emitted: TSP, PM-10, SO <sub>2</sub> , VOC, NO <sub>x</sub> , CO, Pb, other:
Estimated amount of pollutant(s) emitted during emergency/deviation:
Describe the steps taken to mitigate the problem:
Describe the corrective actions/response steps taken:
Describe the measures taken to minimize emissions:
If applicable, describe the reasons why continued operation of the facilities are necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw materials of substantial economic value:

Form Completed by: \_\_\_\_\_

Title / Position: \_\_\_\_\_

Date: \_\_\_\_\_

Phone: \_\_\_\_\_

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF AIR QUALITY  
COMPLIANCE DATA SECTION**

**PART 70 OPERATING PERMIT  
SEMI-ANNUAL COMPLIANCE MONITORING REPORT**

Source Name: Buckeye Terminals LLC - Hartsdale Station  
Source Address: 1802 Robin Hood Blvd., Suite 3A, Schererville, Indiana 46375  
Mailing Address: P.O. Box 368, 5002 Buckeye Road, Emmaus Pennsylvania 18049  
Part 70 Permit No.: T 089-9287-00291

**Months:** \_\_\_\_\_ **to** \_\_\_\_\_ **Year:** \_\_\_\_\_

This report is an affirmation that the source has met all the compliance monitoring requirements stated in this permit. This report shall be submitted semi-annually. Any deviation from the compliance monitoring requirements and the date(s) of each deviation must be reported. Additional pages may be attached if necessary. This form can be supplemented by attaching the Emergency/Deviation Occurrence Report. If no deviations occurred, please specify in the box marked "No deviations occurred this reporting period".

**9 NO DEVIATIONS OCCURRED THIS REPORTING PERIOD**

**9 THE FOLLOWING DEVIATIONS OCCURRED THIS REPORTING PERIOD.**

<b>Compliance Monitoring Requirement</b> (e.g. Permit Condition D.1.3)	<b>Number of Deviations</b>	<b>Date of Each Deviation</b>

Form Completed By: \_\_\_\_\_

Title/Position: \_\_\_\_\_

Date: \_\_\_\_\_

Phone: \_\_\_\_\_

Attach a signed certification to complete this report.